


Amendments to the Claims

1. (currently amended) A compound having the structure:



or any pharmaceutically-acceptable salt thereof, wherein:

~~— L^1 is a saturated, unsaturated, or partially saturated chain of 1, 2 or 3 carbon atoms substituted at each open position by R^2 ;~~

~~— L^2 is a saturated, unsaturated, or partially saturated chain of 1, 2 or 3 carbon atoms substituted at each open position by $R^{2'}$; wherein the combined number of carbon atoms in the L^1 and L^2 chains is 3, 4 or 5; wherein, when L^1 is a one carbon chain and Q^1 and Q^2 are both N, then L^1 is carbonyl, and when L^2 is a one carbon chain and Q^1 and Q^2 are both N, then L^2 is carbonyl;~~

m is independently at each instance 0, 1 or 2;

Q^1 is N or C(R^2);

~~— Q^2 is N or C(R^2); wherein at least one of Q^1 and Q^2 is N;~~

Q^3 is N or C(R^5);

Q^4 is N or C(R^6);

Q^5 is N or C($R^{6'}$);

Q^6 is N or C($R^{5'}$);

R^1 is H or $-(C(R^2)(R^2))_m-R^g$;

R^2 is, independently, in each instance, H, C_{1-8} alkyl, C_{1-4} haloalkyl, $-O(C_{1-7}$ alkyl), $-N(C_{1-7}$ alkyl) R^a , or a C_{1-6} alkyl substituted by 1, 2 or 3 substituents selected from halo, cyano, $-OR^a$, $-OC(=O)R^b$, $-SR^a$, $-S(=O)R^b$, $-S(=O)_2R^b$, $-S(=O)_2NR^aR^a$, $-NR^aR^a$, $-N(R^a)C(=O)R^b$, $-N(R^a)C(=O)OR^b$, $-N(R^a)C(=O)NR^aR^a$, $-N(R^a)C(=NR^a)NR^aR^a$, $-N(R^a)S(=O)_2R^b$, $-NR^aC_{2-6}$ alkyl NR^aR^a and $-NR^aC_{2-6}$ alkyl OR^a ; wherein any two geminal R^2 groups may additionally be oxo;

$R^{2'}$ is, independently, in each instance, H, C_{1-8} alkyl, C_{1-4} haloalkyl, $-O(C_{1-7}$ alkyl), $-N(C_{1-7}$ alkyl) R^a , or a C_{1-6} alkyl substituted by 1, 2 or 3 substituents selected from halo, cyano, $-OR^a$, $-OC(=O)R^b$, $-SR^a$, $-S(=O)R^b$, $-S(=O)_2R^b$, $-S(=O)_2NR^aR^a$, $-NR^aR^a$, $-N(R^a)C(=O)R^b$, $-N(R^a)C(=O)OR^b$, $-N(R^a)C(=O)NR^aR^a$, $-N(R^a)C(=NR^a)NR^aR^a$, $-N(R^a)S(=O)_2R^b$, $-NR^aC_{2-6}$ alkyl NR^aR^a and $-NR^aC_{2-6}$ alkyl OR^a ; wherein any two geminal $R^{2'}$ groups may additionally be oxo;

~~R^4 is phenyl or naphthyl, wherein the phenyl and naphthyl are substituted by 1, 2, 3 or 4 substituents selected from R^e , R^e , halo, C_{1-4} haloalkyl, cyano, nitro, $C(=O)R^e$, $C(=O)OR^h$, $C(=O)NR^aR^h$, $C(=NR^a)NR^aR^h$, $-OR^h$, $-OC(=O)R^e$, $-OC(=O)NR^aR^h$, $-OC(=O)N(R^a)S(=O)_2R^e$, $-OC_{2-6}$ alkyl NR^aR^h , $-OC_{2-6}$ alkyl OR^h , $-SR^e$, $-S(=O)R^e$, $-S(=O)_2R^e$, $-S(=O)_2NR^aR^h$, $-S(=O)_2N(R^a)C(=O)R^e$, $-S(=O)_2N(R^a)C(=O)OR^h$, $-S(=O)_2N(R^a)C(=O)NR^aR^h$, $-NR^aR^h$, $-N(R^a)C(=O)R^e$, $-N(R^a)C(=O)OR^h$, $-N(R^a)C(=O)NR^aR^h$, $-N(R^a)C(=NR^a)NR^aR^h$, $-N(R^a)S(=O)_2R^e$, $-N(R^a)S(=O)_2NR^aR^h$, $-NR^aC_{2-6}$ alkyl NR^aR^h , $-NR^aC_{2-6}$ alkyl OR^h , $-C(=O)R^e$, $-C(=O)OR^e$, $-C(=O)NR^aR^e$, $-C(=NR^a)NR^aR^e$, $-OR^e$, $-OC(=O)R^e$, $-OC(=O)NR^aR^e$, $-OC(=O)N(R^a)S(=O)_2R^e$, $-OC(=O)N(R^e)S(=O)_2R^e$, $-OC_{2-6}$ alkyl NR^aR^e , $-OC_{2-6}$ alkyl OR^e , $-SR^e$, $-S(=O)R^e$, $-S(=O)_2R^e$, $-S(=O)_2NR^aR^e$, $-S(=O)_2N(R^e)C(=O)R^e$, $-S(=O)_2N(R^a)C(=O)R^e$, $-S(=O)_2N(R^e)C(=O)OR^h$, $-S(=O)_2N(R^a)C(=O)OR^e$, $-S(=O)_2N(R^e)C(=O)NR^aR^h$, $-S(=O)_2N(R^a)C(=O)NR^aR^e$, $-NR^aR^e$, $-N(R^e)C(=O)R^e$, $-N(R^a)C(=O)R^e$, $-N(R^e)C(=O)OR^h$, $-N(R^a)C(=O)OR^e$, $-N(R^e)C(=O)NR^aR^h$, $-N(R^a)C(=O)NR^aR^e$, $-N(R^e)C(=NR^a)NR^aR^h$, $-N(R^a)C(=NR^a)NR^aR^e$, $-N(R^e)S(=O)_2R^e$, $-N(R^a)S(=O)_2R^e$, $-N(R^e)S(=O)_2NR^aR^h$, $-N(R^a)S(=O)_2NR^aR^e$, $-NR^hC_{2-6}$ alkyl NR^aR^e , $-NR^eC_{2-6}$ alkyl NR^aR^e , $-NR^eC_{2-6}$ alkyl OR^h and $-NR^aC_{2-6}$ alkyl OR^e ; or R^4 is R^c substituted by 0, 1, 2, 3 or 4 substituents selected from R^c , R^c , halo, C_{1-4} haloalkyl, cyano, nitro, $-C(=O)R^c$, $-C(=O)OR^h$, $-C(=O)NR^aR^h$, $-C(=NR^a)NR^aR^h$, $-OR^h$, $-OC(=O)R^c$, $-OC(=O)NR^aR^h$, $-OC(=O)N(R^a)S(=O)_2R^c$, $-OC_{2-6}$ alkyl NR^aR^h , $-OC_{2-6}$ alkyl OR^h , $-SR^c$, $-S(=O)R^c$, $-S(=O)_2R^c$, $-S(=O)_2NR^aR^h$, $-S(=O)_2N(R^a)C(=O)R^c$, $-S(=O)_2N(R^a)C(=O)OR^h$, $-S(=O)_2N(R^a)C(=O)NR^aR^h$, $-NR^aR^h$, $-N(R^a)C(=O)R^c$, $-N(R^a)C(=O)OR^h$, $-N(R^a)C(=O)NR^aR^h$, $-N(R^a)C(=NR^a)NR^aR^h$, $-N(R^a)S(=O)_2R^c$, $-N(R^a)S(=O)_2NR^aR^h$, $-NR^aC_{2-6}$ alkyl NR^aR^h , $-NR^aC_{2-6}$ alkyl OR^h , $-C(=O)R^e$, $-C(=O)OR^e$, $-C(=O)NR^aR^e$, $-C(=NR^a)NR^aR^e$, $-OR^e$, $-OC(=O)R^e$, $-OC(=O)NR^aR^e$, $-OC(=O)N(R^a)S(=O)_2R^e$, $-OC(=O)N(R^e)S(=O)_2R^c$, $-OC_{2-6}$ alkyl NR^aR^e , $-OC_{2-6}$ alkyl OR^e , $-SR^e$, $-S(=O)R^e$, $-S(=O)_2R^e$, $-S(=O)_2NR^aR^e$, $-S(=O)_2N(R^e)C(=O)R^c$,~~

-S(=O)₂N(R^a)C(=O)R^g, -S(=O)₂N(R^g)C(=O)OR^h, -S(=O)₂N(R^a)C(=O)OR^g,
 -S(=O)₂N(R^g)C(=O)NR^aR^h, -S(=O)₂N(R^a)C(=O)NR^aR^g, -NR^aR^g, -N(R^g)C(=O)R^c,
 -N(R^a)C(=O)R^g, -N(R^g)C(=O)OR^h, -N(R^a)C(=O)OR^g, -N(R^g)C(=O)NR^aR^h,
 -N(R^a)C(=O)NR^aR^g, -N(R^g)C(=NR^a)NR^aR^h, -N(R^a)C(=NR^a)NR^aR^g, -N(R^g)S(=O)₂R^c,
 -N(R^a)S(=O)₂R^g, -N(R^g)S(=O)₂NR^aR^h, -N(R^a)S(=O)₂NR^aR^g, -NR^hC₂₋₆alkylNR^aR^g,
 -NR^aC₂₋₆alkylNR^aR^g, -NR^gC₂₋₆alkylOR^h and -NR^aC₂₋₆alkylOR^g, wherein R⁴ is not
 imidazole or any substituted derivative thereof;

R⁵ is H, R^c, C₁₋₄haloalkyl, halo, cyano, -C(=O)R^c, -C(=O)OR^c, -C(=O)NR^cR^a,
 -C(=NR^a)NR^hR^a, -OR^h, -OC(=O)R^c, -OC(=O)NR^aR^h, -OC(=O)N(R^a)S(=O)₂R^c,
 -OC₂₋₆alkylNR^aR^h, -OC₂₋₆alkylOR^h, -SR^h, -S(=O)R^c, -S(=O)₂R^c, -S(=O)₂NR^aR^h,
 -S(=O)₂N(R^a)C(=O)R^c, -S(=O)₂N(R^a)C(=O)OR^c, -S(=O)₂N(R^a)C(=O)NR^aR^h, -NR^aR^h,
 -N(R^a)C(=O)R^c, -N(R^a)C(=O)OR^c, -N(R^a)C(=O)NR^aR^h, -N(R^a)C(=NR^a)NR^aR^h,
 -N(R^a)S(=O)₂R^c, -N(R^a)S(=O)₂NR^aR^h, -NR^aC₂₋₆alkylNR^aR^h, -NR^aC₂₋₆alkylOR^h,
 -C(=O)R^g, -C(=O)OR^g, -C(=O)NR^gR^a, -C(=NR^a)NR^aR^g, -OR^g, -OC(=O)R^g,
 -OC(=O)NR^aR^g, -OC(=O)N(R^a)S(=O)₂R^g, -OC₂₋₆alkylNR^aR^g, -OC₂₋₆alkylOR^g, -SR^g,
 -S(=O)R^g, -S(=O)₂R^g, -S(=O)₂NR^aR^g, -S(=O)₂N(R^a)C(=O)R^g,
 -S(=O)₂N(R^a)C(=O)OR^g, -S(=O)₂N(R^a)C(=O)NR^aR^g, -NR^aR^g, -N(R^a)C(=O)R^g,
 -N(R^a)C(=O)OR^g, -N(R^a)C(=O)NR^aR^g, -N(R^a)C(=NR^a)NR^aR^g, -N(R^a)S(=O)₂R^g,
 -N(R^a)S(=O)₂NR^aR^g, -NR^aC₂₋₆alkylNR^aR^g or -NR^aC₂₋₆alkylOR^g; or R⁵ is a saturated,
 partially saturated or unsaturated 5-, 6- or 7-membered monocyclic or 6-, 7-, 8-, 9-,
 10- or 11-membered bicyclic ring containing 0, 1, 2, 3 or 4 atoms selected from N, O
 and S, wherein the carbon atoms of the ring are substituted by 0, 1 or 2 oxo groups
 and the ring is substituted by 0, 1, 2, 3 or 4 substituents selected from R^c,
 C₁₋₄haloalkyl, halo, cyano, nitro, -C(=O)R^c, -C(=O)OR^c, -C(=O)NR^cR^a,
 -C(=NR^a)NR^hR^a, -OR^h, -OC(=O)R^c, -OC(=O)NR^aR^h, -OC(=O)N(R^a)S(=O)₂R^c,
 -OC₂₋₆alkylNR^aR^h, -OC₂₋₆alkylOR^h, -SR^h, -S(=O)R^c, -S(=O)₂R^c, -S(=O)₂NR^aR^h,
 -S(=O)₂N(R^a)C(=O)R^c, -S(=O)₂N(R^a)C(=O)OR^c, -S(=O)₂N(R^a)C(=O)NR^aR^h, -NR^aR^h,
 -N(R^a)C(=O)R^c, -N(R^a)C(=O)OR^c, -N(R^a)C(=O)NR^aR^h, -N(R^a)C(=NR^a)NR^aR^h,
 -N(R^a)S(=O)₂R^c, -N(R^a)S(=O)₂NR^aR^h, -NR^aC₂₋₆alkylNR^aR^h, -NR^aC₂₋₆alkylOR^h,
 -C(=O)R^g, -C(=O)OR^g, -C(=O)NR^gR^a, -C(=NR^a)NR^aR^g, -OR^g, -OC(=O)R^g,
 -OC(=O)NR^aR^g, -OC(=O)N(R^a)S(=O)₂R^g, -OC₂₋₆alkylNR^aR^g, -OC₂₋₆alkylOR^g, -SR^g,
 -S(=O)R^g, -S(=O)₂R^g, -S(=O)₂NR^aR^g, -S(=O)₂N(R^a)C(=O)R^g,
 -S(=O)₂N(R^a)C(=O)OR^g, -S(=O)₂N(R^a)C(=O)NR^aR^g, -NR^aR^g, -N(R^a)C(=O)R^g,

$-N(R^a)C(=O)OR^g$, $-N(R^a)C(=O)NR^aR^g$, $-N(R^a)C(=NR^a)NR^aR^g$, $-N(R^a)S(=O)_2R^g$,
 $-N(R^a)S(=O)_2NR^aR^g$, $-NR^aC_{2-6}alkylNR^aR^g$ and $-NR^aC_{2-6}alkylOR^g$;

$R^{5'}$ is H, R^e , $C_{1-4}haloalkyl$, halo, cyano, $-C(=O)R^e$, $-C(=O)OR^e$, $-C(=O)NR^eR^a$,
 $-C(=NR^a)NR^hR^a$, $-OR^h$, $-OC(=O)R^e$, $-OC(=O)NR^aR^h$, $-OC(=O)N(R^a)S(=O)_2R^e$,
 $-OC_{2-6}alkylNR^aR^h$, $-OC_{2-6}alkylOR^h$, $-SR^h$, $-S(=O)R^e$, $-S(=O)_2R^e$, $-S(=O)_2NR^aR^h$,
 $-S(=O)_2N(R^a)C(=O)R^e$, $-S(=O)_2N(R^a)C(=O)OR^e$, $-S(=O)_2N(R^a)C(=O)NR^aR^h$, $-NR^aR^h$,
 $-N(R^a)C(=O)R^e$, $-N(R^a)C(=O)OR^e$, $-N(R^a)C(=O)NR^aR^h$, $-N(R^a)C(=NR^a)NR^aR^h$,
 $-N(R^a)S(=O)_2R^e$, $-N(R^a)S(=O)_2NR^aR^h$, $-NR^aC_{2-6}alkylNR^aR^h$, $-NR^aC_{2-6}alkylOR^h$,
 $-C(=O)R^g$, $-C(=O)OR^g$, $-C(=O)NR^gR^a$, $-C(=NR^a)NR^aR^g$, $-OR^g$, $-OC(=O)R^g$,
 $-OC(=O)NR^aR^g$, $-OC(=O)N(R^a)S(=O)_2R^g$, $-OC_{2-6}alkylNR^aR^g$, $-OC_{2-6}alkylOR^g$, $-SR^g$,
 $-S(=O)R^g$, $-S(=O)_2R^g$, $-S(=O)_2NR^aR^g$, $-S(=O)_2N(R^a)C(=O)R^g$,
 $-S(=O)_2N(R^a)C(=O)OR^g$, $-S(=O)_2N(R^a)C(=O)NR^aR^g$, $-NR^aR^g$, $-N(R^a)C(=O)R^g$,
 $-N(R^a)C(=O)OR^g$, $-N(R^a)C(=O)NR^aR^g$, $-N(R^a)C(=NR^a)NR^aR^g$, $-N(R^a)S(=O)_2R^g$,
 $-N(R^a)S(=O)_2NR^aR^g$, $-NR^aC_{2-6}alkylNR^aR^g$ or $-NR^aC_{2-6}alkylOR^g$; or $R^{5'}$ is a saturated,
partially saturated or unsaturated 5-, 6- or 7-membered monocyclic or 6-, 7-, 8-, 9-,
10- or 11-membered bicyclic ring containing 0, 1, 2, 3 or 4 atoms selected from N, O
and S, wherein the carbon atoms of the ring are substituted by 0, 1 or 2 oxo groups
and the ring is substituted by 0, 1, 2, 3 or 4 substituents selected from R^e ,

$C_{1-4}haloalkyl$, halo, cyano, nitro, $-C(=O)R^e$, $-C(=O)OR^e$, $-C(=O)NR^eR^a$,
 $-C(=NR^a)NR^hR^a$, $-OR^h$, $-OC(=O)R^e$, $-OC(=O)NR^aR^h$, $-OC(=O)N(R^a)S(=O)_2R^e$,
 $-OC_{2-6}alkylNR^aR^h$, $-OC_{2-6}alkylOR^h$, $-SR^h$, $-S(=O)R^e$, $-S(=O)_2R^e$, $-S(=O)_2NR^aR^h$,
 $-S(=O)_2N(R^a)C(=O)R^e$, $-S(=O)_2N(R^a)C(=O)OR^e$, $-S(=O)_2N(R^a)C(=O)NR^aR^h$, $-NR^aR^h$,
 $-N(R^a)C(=O)R^e$, $-N(R^a)C(=O)OR^e$, $-N(R^a)C(=O)NR^aR^h$, $-N(R^a)C(=NR^a)NR^aR^h$,
 $-N(R^a)S(=O)_2R^e$, $-N(R^a)S(=O)_2NR^aR^h$, $-NR^aC_{2-6}alkylNR^aR^h$, $-NR^aC_{2-6}alkylOR^h$,
 $-C(=O)R^g$, $-C(=O)OR^g$, $-C(=O)NR^gR^a$, $-C(=NR^a)NR^aR^g$, $-OR^g$, $-OC(=O)R^g$,
 $-OC(=O)NR^aR^g$, $-OC(=O)N(R^a)S(=O)_2R^g$, $-OC_{2-6}alkylNR^aR^g$, $-OC_{2-6}alkylOR^g$, $-SR^g$,
 $-S(=O)R^g$, $-S(=O)_2R^g$, $-S(=O)_2NR^aR^g$, $-S(=O)_2N(R^a)C(=O)R^g$,
 $-S(=O)_2N(R^a)C(=O)OR^g$, $-S(=O)_2N(R^a)C(=O)NR^aR^g$, $-NR^aR^g$, $-N(R^a)C(=O)R^g$,
 $-N(R^a)C(=O)OR^g$, $-N(R^a)C(=O)NR^aR^g$, $-N(R^a)C(=NR^a)NR^aR^g$, $-N(R^a)S(=O)_2R^g$,
 $-N(R^a)S(=O)_2NR^aR^g$, $-NR^aC_{2-6}alkylNR^aR^g$ and $-NR^aC_{2-6}alkylOR^g$;

R^6 is H, $C_{1-4}haloalkyl$, halo, cyano, $-C(=O)R^b$, $-C(=O)OR^b$, $-C(=O)NR^aR^a$,
 $-C(=NR^a)NR^aR^a$, $-OH$, $-OC_{2-6}alkyl$, $-OC(=O)R^b$, $-OC(=O)NR^aR^a$,
 $-OC(=O)N(R^a)S(=O)_2R^b$, $-OC_{2-6}alkylNR^aR^a$, $-OC_{2-6}alkylOR^a$, $-SR^a$, $-S(=O)R^b$,

$-\text{S}(=\text{O})_2\text{R}^b$, $-\text{S}(=\text{O})_2\text{NR}^a\text{R}^a$, $-\text{S}(=\text{O})_2\text{N}(\text{R}^a)\text{C}(=\text{O})\text{R}^b$, $-\text{S}(=\text{O})_2\text{N}(\text{R}^a)\text{C}(=\text{O})\text{OR}^b$,
 $-\text{S}(=\text{O})_2\text{N}(\text{R}^a)\text{C}(=\text{O})\text{NR}^a\text{R}^a$, $-\text{NR}^a\text{R}^b$, $-\text{N}(\text{R}^a)\text{C}(=\text{O})\text{R}^b$, $-\text{N}(\text{R}^a)\text{C}(=\text{O})\text{OR}^b$,
 $-\text{N}(\text{R}^a)\text{C}(=\text{O})\text{NR}^a\text{R}^a$, $-\text{N}(\text{R}^a)\text{C}(=\text{NR}^a)\text{NR}^a\text{R}^a$, $-\text{N}(\text{R}^a)\text{S}(=\text{O})_2\text{R}^b$, $-\text{N}(\text{R}^a)\text{S}(=\text{O})_2\text{NR}^a\text{R}^a$,
 $-\text{NR}^a\text{C}_{2-6}\text{alkylNR}^a\text{R}^a$, $-\text{NR}^a\text{C}_{2-6}\text{alkylOR}^a$ and R^c ;

$\text{R}^{6'}$ is H, $\text{C}_{1-4}\text{haloalkyl}$, halo, cyano, $-\text{C}(=\text{O})\text{R}^b$, $-\text{C}(=\text{O})\text{OR}^b$, $-\text{C}(=\text{O})\text{NR}^a\text{R}^a$,
 $-\text{C}(=\text{NR}^a)\text{NR}^a\text{R}^a$, $-\text{OH}$, $-\text{OC}_{2-6}\text{alkyl}$, $-\text{OC}(=\text{O})\text{R}^b$, $-\text{OC}(=\text{O})\text{NR}^a\text{R}^a$,
 $-\text{OC}(=\text{O})\text{N}(\text{R}^a)\text{S}(=\text{O})_2\text{R}^b$, $-\text{OC}_{2-6}\text{alkylNR}^a\text{R}^a$, $-\text{OC}_{2-6}\text{alkylOR}^a$, $-\text{SR}^a$, $-\text{S}(=\text{O})\text{R}^b$,
 $-\text{S}(=\text{O})_2\text{R}^b$, $-\text{S}(=\text{O})_2\text{NR}^a\text{R}^a$, $-\text{S}(=\text{O})_2\text{N}(\text{R}^a)\text{C}(=\text{O})\text{R}^b$, $-\text{S}(=\text{O})_2\text{N}(\text{R}^a)\text{C}(=\text{O})\text{OR}^b$,
 $-\text{S}(=\text{O})_2\text{N}(\text{R}^a)\text{C}(=\text{O})\text{NR}^a\text{R}^a$, $-\text{NR}^a\text{R}^b$, $-\text{N}(\text{R}^a)\text{C}(=\text{O})\text{R}^b$, $-\text{N}(\text{R}^a)\text{C}(=\text{O})\text{OR}^b$,
 $-\text{N}(\text{R}^a)\text{C}(=\text{O})\text{NR}^a\text{R}^a$, $-\text{N}(\text{R}^a)\text{C}(=\text{NR}^a)\text{NR}^a\text{R}^a$, $-\text{N}(\text{R}^a)\text{S}(=\text{O})_2\text{R}^b$, $-\text{N}(\text{R}^a)\text{S}(=\text{O})_2\text{NR}^a\text{R}^a$,
 $-\text{NR}^a\text{C}_{2-6}\text{alkylNR}^a\text{R}^a$, $-\text{NR}^a\text{C}_{2-6}\text{alkylOR}^a$ and R^c ; wherein at least one of R^6 and $\text{R}^{6'}$ is other than H;

R^a is independently, at each instance, H or R^b ;

R^b is independently, at each instance, phenyl, benzyl or $\text{C}_{1-6}\text{alkyl}$, the phenyl, benzyl and $\text{C}_{1-6}\text{alkyl}$ being substituted by 0, 1, 2 or 3 substituents selected from halo, $\text{C}_{1-4}\text{alkyl}$, $\text{C}_{1-3}\text{haloalkyl}$, $-\text{OC}_{1-4}\text{alkyl}$, $-\text{NH}_2$, $-\text{NHC}_{1-4}\text{alkyl}$, $-\text{N}(\text{C}_{1-4}\text{alkyl})\text{C}_{1-4}\text{alkyl}$;

R^c is independently at each instance a saturated, partially saturated or unsaturated 5-, 6- or 7-membered monocyclic or 6-, 7-, 8-, 9-, 10- or 11-membered bicyclic ring containing 1, 2, 3 or 4 atoms selected from N, O and S, wherein the carbon atoms of the ring are substituted by 0, 1 or 2 oxo groups;

R^d is independently at each instance $\text{C}_{1-8}\text{alkyl}$, $\text{C}_{1-4}\text{haloalkyl}$, halo, cyano, nitro, $-\text{C}(=\text{O})\text{R}^b$, $-\text{C}(=\text{O})\text{OR}^b$, $-\text{C}(=\text{O})\text{NR}^a\text{R}^a$, $-\text{C}(=\text{NR}^a)\text{NR}^a\text{R}^a$, $-\text{OR}^a$, $-\text{OC}(=\text{O})\text{R}^b$,
 $-\text{OC}(=\text{O})\text{NR}^a\text{R}^a$, $-\text{OC}(=\text{O})\text{N}(\text{R}^a)\text{S}(=\text{O})_2\text{R}^b$, $-\text{OC}_{2-6}\text{alkylNR}^a\text{R}^a$, $-\text{OC}_{2-6}\text{alkylOR}^a$, $-\text{SR}^a$,
 $-\text{S}(=\text{O})\text{R}^b$, $-\text{S}(=\text{O})_2\text{R}^b$, $-\text{S}(=\text{O})_2\text{NR}^a\text{R}^a$, $-\text{S}(=\text{O})_2\text{N}(\text{R}^a)\text{C}(=\text{O})\text{R}^b$,
 $-\text{S}(=\text{O})_2\text{N}(\text{R}^a)\text{C}(=\text{O})\text{OR}^b$, $-\text{S}(=\text{O})_2\text{N}(\text{R}^a)\text{C}(=\text{O})\text{NR}^a\text{R}^a$, $-\text{NR}^a\text{R}^a$, $-\text{N}(\text{R}^a)\text{C}(=\text{O})\text{R}^b$,
 $-\text{N}(\text{R}^a)\text{C}(=\text{O})\text{OR}^b$, $-\text{N}(\text{R}^a)\text{C}(=\text{O})\text{NR}^a\text{R}^a$, $-\text{N}(\text{R}^a)\text{C}(=\text{NR}^a)\text{NR}^a\text{R}^a$, $-\text{N}(\text{R}^a)\text{S}(=\text{O})_2\text{R}^b$,
 $-\text{N}(\text{R}^a)\text{S}(=\text{O})_2\text{NR}^a\text{R}^a$, $-\text{NR}^a\text{C}_{2-6}\text{alkylNR}^a\text{R}^a$ or $-\text{NR}^a\text{C}_{2-6}\text{alkylOR}^a$;

R^e is independently at each instance $\text{C}_{1-6}\text{alkyl}$ substituted by 0, 1, 2 or 3 substituents independently selected from R^d and additionally substituted by 0 or 1 substituents selected from R^g ;

R^g is independently at each instance a saturated, partially saturated or unsaturated 5-, 6- or 7-membered monocyclic or 6-, 7-, 8-, 9-, 10- or 11-membered bicyclic ring containing 0, 1, 2, 3 or 4 atoms selected from N, O and S, wherein the

carbon atoms of the ring are substituted by 0, 1 or 2 oxo groups and the ring is substituted by 0, 1, 2 or 3 substituents selected from C₁₋₈alkyl, C₁₋₄haloalkyl, halo, cyano, nitro, -C(=O)R^b, -C(=O)OR^b, -C(=O)NR^aR^a, -C(=NR^a)NR^aR^a, -OR^a, -OC(=O)R^b, -OC(=O)NR^aR^a, -OC(=O)N(R^a)S(=O)₂R^b, -OC₂₋₆alkylNR^aR^a, -OC₂₋₆alkylOR^a, -SR^a, -S(=O)R^b, -S(=O)₂R^b, -S(=O)₂NR^aR^a, -S(=O)₂N(R^a)C(=O)R^b, -S(=O)₂N(R^a)C(=O)OR^b, -S(=O)₂N(R^a)C(=O)NR^aR^a, -NR^aR^a, -N(R^a)C(=O)R^b, -N(R^a)C(=O)OR^b, -N(R^a)C(=O)NR^aR^a, -N(R^a)C(=NR^a)NR^aR^a, -N(R^a)S(=O)₂R^b, -N(R^a)S(=O)₂NR^aR^a, -NR^aC₂₋₆alkylNR^aR^a and -NR^aC₂₋₆alkylOR^a; and

R^h is independently at each instance R^e or H.

2. (canceled)

3. (currently amended) The compound according to Claim 21, wherein Q³ is C(R⁵), Q⁴ is C(R⁶), Q⁵ is C(R^{6'}), and Q⁶ is C(R^{5'}).

4. (original) The compound according to Claim 3, wherein R⁴ is a ring selected from thiophene, pyrrole, 1,3-oxazole, 1,3-thiazole, 1,3,4-oxadiazole, 1,3,4-thiadiazole, 1,2,3-oxadiazole, 1,2,3-thiadiazole, 1H-1,2,3-triazole, isothiazole, 1,2,4-oxadiazole, 1,2,4-thiadiazole, 1,2,3,4-oxatriazole, 1,2,3,4-thiatriazole, 1H-1,2,3,4-tetraazole, 1,2,3,5-oxatriazole, 1,2,3,5-thiatriazole, furan, imidazol-1-yl, imidazol-4-yl, 1,2,4-triazol-4-yl, 1,2,4-triazol-5-yl, isoxazol-3-yl, isoxazol-5-yl, thiolane, pyrrolidine, tetrahydrofuran, 4,5-dihydrothiophene, 2-pyrroline, 4,5-dihydrofuran, pyridazine, pyrimidine, pyrazine, 1,2,3-triazine, 1,2,4-triazine, 1,2,4-triazine, 1,3,5-triazine, pyridine, 2H-3,4,5,6-tetrahydropyran, thiane, 1,2-diazaperhydroine, 1,3-diazaperhydroine, piperazine, 1,3-oxazaperhydroine, morpholine, 1,3-thiazaperhydroine, 1,4-thiazaperhydroine, piperidine, 2H-3,4-dihydropyran, 2,3-dihydro-4H-thiin, 1,4,5,6-tetrahydropyridine, 2H-5,6-dihydropyran, 2,3-dihydro-6H-thiin, 1,2,5,6-tetrahydropyridine, 3,4,5,6-tetrahydropyridine, 4H-pyran, 4H-thiin, 1,4-dihydropyridine, 1,4-dithiane, 1,4-dioxane, 1,4-oxathiane, 1,2-oxazolidine, 1,2-thiazolidine, pyrazolidine, 1,3-oxazolidine, 1,3-thiazolidine, imidazolidine, 1,2,4-oxadiazolidine, 1,3,4-oxadiazolidine, 1,2,4-thiadiazolidine, 1,3,4-thiadiazolidine, 1,2,4-triazolidine, 2-imidazoline, 3-imidazoline, 2-pyrazoline, 4-imidazoline, 2,3-dihydroisothiazole, 4,5-dihydroisoxazole, 4,5-dihydroisothiazole, 2,5-

dihydroisoxazole, 2,5-dihydroisothiazole, 2,3-dihydroisoxazole, 4,5-dihydrooxazole, 2,3-dihydrooxazole, 2,5-dihydrooxazole, 4,5-dihydrothiazole, 2,3-dihydrothiazole,, 2,5-dihydrothiazole, 1,3,4-oxathiazolidine, 1,4,2-oxathiazolidine, 2,3-dihydro-1H-[1,2,3]triazole, 2,5-dihydro-1H-[1,2,3]triazole, 4,5-dihydro-1H-[1,2,3]triazole, 2,3-dihydro-1H-[1,2,4]triazole, 4,5-dihydro-1H-[1,2,4]triazole, 2,3-dihydro-[1,2,4]oxadiazole, 2,5-dihydro-[1,2,4]oxadiazole, 4,5-dihydro-[1,2,4]thiadiazole, 2,3-dihydro-[1,2,4] thidiazole, 2,5-dihydro-[1,2,4] thiadiazole, 4,5-dihydro-[1,2,4] thiadiazole, 2,5-dihydro-[1,2,4]oxadiazole, 2,3-dihydro-[1,2,4]oxadiazole, 4,5-dihydro-[1,2,4]oxadiazole, 2,5-dihydro-[1,2,4]thiadiazole, 2,3-dihydro-[1,2,4] thiadiazole, 4,5-dihydro-[1,2,4] thiadiazole, 2,3-dihydro-[1,3,4]oxadiazole, 2,3-dihydro-[1,3,4]thiadiazole, [1,4,2]oxathiazole, [1,3,4]oxathiazole, 1,3,5-triazaperhydroine, 1,2,4-triazaperhydroine, 1,4,2-dithiazaperhydroine, 1,4,2-dioxazaperhydroine, 1,3,5-oxadiazaperhydroine, 1,2,5-oxadiazaperhydroine, 1,3,4-thiadiazaperhydroine, 1,3,5-thiadiazaperhydroine, 1,2,5-thiadiazaperhydroine, 1,3,4-oxadiazaperhydroine, 1,4,3-oxathiazaperhydroine, 1,4,2-oxathiazaperhydroine, 1,4,5,6-tetrahydropyridazine, 1,2,3,4-tetrahydropyridazine, 1,2,3,6-tetrahydropyridazine, 1,2,5,6-tetrahydropyrimidine, 1,2,3,4-tetrahydropyrimidine, 1,4,5,6-tetrahydropyrimidine, 1,2,3,6-tetrahydropyrazine, 1,2,3,4-tetrahydropyrazine, 5,6-dihydro-4H-[1,2]oxazine, 5,6-dihydro-2H-[1,2]oxazine, 3,6-dihydro-2H-[1,2]oxazine, 3,4-dihydro-2H-[1,2]oxazine, 5,6-dihydro-4H-[1,2]thiazine, 5,6-dihydro-2H-[1,2] thiazine, 3,6-dihydro-2H-[1,2] thiazine, 3,4-dihydro-2H-[1,2] thiazine, 5,6-dihydro-2H-[1,3]oxazine, 5,6-dihydro-4H-[1,3]oxazine, 3,6-dihydro-2H-[1,3]oxazine, 3,4-dihydro-2H-[1,3]oxazine, 3,6-dihydro-2H-[1,4]oxazine, 3,4-dihydro-2H-[1,4]oxazine, 5,6-dihydro-2H-[1,3]thiazine, 5,6-dihydro-4H-[1,3]thiazine, 3,6-dihydro-2H-[1,3]thiazine, 3,4-dihydro-2H-[1,3]thiazine, 3,6-dihydro-2H-[1,4]thiazine, 3,4-dihydro-2H-[1,4]thiazine, 1,2,3,6-tetrahydro-[1,2,4]triazine, 1,2,3,4-tetrahydro-[1,2,4]triazine, 1,2,3,4-tetrahydro-[1,3,5]triazine, 2,3,4,5-tetrahydro-[1,2,4]triazine, 1,4,5,6-tetrahydro-[1,2,4]triazine, 5,6-dihydro-[1,4,2]dioxazine, 5,6-dihydro-[1,4,2]dioxazine, 5,6-dihydro-[1,4,2]dithiazine, 2,3-dihydro-[1,4,2]dioxazine, 3,4-dihydro-2H-[1,3,4]oxadiazine, 3,6-dihydro-2H-[1,3,4]oxadiazine, 3,4-dihydro-2H-[1,3,5]oxadiazine, 3,6-dihydro-2H-[1,3,5]oxadiazine, 5,6-dihydro-2H-[1,2,5]oxadiazine, 5,6-dihydro-4H-[1,2,5]oxadiazine, 3,4-dihydro-2H-[1,3,4]thiadiazine, 3,6-dihydro-2H-[1,3,4]thiadiazine, 3,4-dihydro-2H-

[1,3,5]thiadiazine, 3,6-dihydro-2H-[1,3,5]thiadiazine, 5,6-dihydro-2H-[1,2,5]thiadiazine, 5,6-dihydro-4H-[1,2,5]thiadiazine, 5,6-dihydro-2H-[1,2,3]oxadiazine, 3,6-dihydro-2H-[1,2,5]oxadiazine, 5,6-dihydro-4H-[1,3,4]oxadiazine, 3,4-dihydro-2H-[1,2,5]oxadiazine, 5,6-dihydro-2H-[1,2,3]thiadiazine, 3,6-dihydro-2H-[1,2,5]thiadiazine, 5,6-dihydro-4H-[1,3,4]thiadiazine, 3,4-dihydro-2H-[1,2,5]thiadiazine, 5,6-dihydro-[1,4,3]oxathiazine, 5,6-dihydro-[1,4,2]oxathiazine, 2,3-dihydro-[1,4,3]oxathiazine, 2,3-dihydro-[1,4,2]oxathiazine, 4,5-dihydropyridine, 1,6-dihydropyridine, 5,6-dihydropyridine, 2H-pyran, 2H-thiin, 3,6-dihydropyridine, 2,3-dihydropyridazine, 2,5-dihydropyridazine, 4,5-dihydropyridazine, 1,2-dihydropyridazine, 2,3-dihydropyrimidine, 2,5-dihydropyrimidine, 5,6-dihydropyrimidine, 3,6-dihydropyrimidine, 4,5-dihydropyrazine, 5,6-dihydropyrazine, 3,6-dihydropyrazine, 4,5-dihydropyrazine, 1,4-dihydropyrazine, 1,4-dithiin, 1,4-dioxin, 2H-1,2-oxazine, 6H-1,2-oxazine, 4H-1,2-oxazine, 2H-1,3-oxazine, 4H-1,3-oxazine, 6H-1,3-oxazine, 2H-1,4-oxazine, 4H-1,4-oxazine, 2H-1,3-thiazine, 2H-1,4-thiazine, 4H-1,2-thiazine, 6H-1,3-thiazine, 4H-1,4-thiazine, 2H-1,2-thiazine, 6H-1,2-thiazine, 1,4-oxathiin, 2H,5H-1,2,3-triazine, 1H,4H-1,2,3-triazine, 4,5-dihydro-1,2,3-triazine, 1H,6H-1,2,3-triazine, 1,2-dihydro-1,2,3-triazine, 2,3-dihydro-1,2,4-triazine, 3H,6H-1,2,4-triazine, 1H,6H-1,2,4-triazine, 3,4-dihydro-1,2,4-triazine, 1H,4H-1,2,4-triazine, 5,6-dihydro-1,2,4-triazine, 4,5-dihydro-1,2,4-triazine, 2H,5H-1,2,4-triazine, 1,2-dihydro-1,2,4-triazine, 1H,4H-1,3,5-triazine, 1,2-dihydro-1,3,5-triazine, 1,4,2-dithiazine, 1,4,2-dioxazine, 2H-1,3,4-oxadiazine, 2H-1,3,5-oxadiazine, 6H-1,2,5-oxadiazine, 4H-1,3,4-oxadiazine, 4H-1,3,5-oxadiazine, 4H-1,2,5-oxadiazine, 2H-1,3,5-thiadiazine, 6H-1,2,5-thiadiazine, 4H-1,3,4-thiadiazine, 4H-1,3,5-thiadiazine, 4H-1,2,5-thiadiazine, 2H-1,3,4-thiadiazine, 6H-1,3,4-thiadiazine, 6H-1,3,4-oxadiazine, 1,4,2-oxathiazine and any bicyclic derivative of any of the above rings containing a vicinally-fused phenyl, pyridine or pyrimidine, wherein the carbon atoms of the ring and bicyclic derivative are substituted by 0, 1 or 2 oxo or thioxo groups; wherein the ring or bicyclic derivative there of is substituted by 0, 1, 2, 3 or 4 substituents selected from R^c , R^e , halo, C_{1-4} haloalkyl, cyano, nitro, $-C(=O)R^e$, $-C(=O)OR^h$, $-C(=O)NR^aR^h$, $-C(=NR^a)NR^aR^h$, $-OR^h$, $-OC(=O)R^e$, $-OC(=O)NR^aR^h$, $-OC(=O)N(R^a)S(=O)_2R^e$, $-OC_{2-6}alkylNR^aR^h$, $-OC_{2-6}alkylOR^h$, $-SR^e$, $-S(=O)R^e$, $-S(=O)_2R^e$, $-S(=O)_2NR^aR^h$, $-S(=O)_2N(R^a)C(=O)R^e$, $-S(=O)_2N(R^a)C(=O)OR^h$, $-S(=O)_2N(R^a)C(=O)NR^aR^h$, $-NR^aR^h$,

-N(R^a)C(=O)R^c, -N(R^a)C(=O)OR^h, -N(R^a)C(=O)NR^aR^h, -N(R^a)C(=NR^a)NR^aR^h,
-N(R^a)S(=O)₂R^c, -N(R^a)S(=O)₂NR^aR^h, -NR^aC₂₋₆alkylNR^aR^h, -NR^aC₂₋₆alkylOR^h,
-C(=O)R^g, -C(=O)OR^g, -C(=O)NR^aR^g, -C(=NR^a)NR^aR^g, -OR^g, -OC(=O)R^g,
-OC(=O)NR^aR^g, -OC(=O)N(R^a)S(=O)₂R^g, -OC(=O)N(R^g)S(=O)₂R^c,
-OC₂₋₆alkylNR^aR^g, -OC₂₋₆alkylOR^g, -SR^g, -S(=O)R^g, -S(=O)₂R^g, -S(=O)₂NR^aR^g,
-S(=O)₂N(R^g)C(=O)R^c, -S(=O)₂N(R^a)C(=O)R^g, -S(=O)₂N(R^g)C(=O)OR^h,
-S(=O)₂N(R^a)C(=O)OR^g, -S(=O)₂N(R^g)C(=O)NR^aR^h, -S(=O)₂N(R^a)C(=O)NR^aR^g,
-NR^aR^g, -N(R^g)C(=O)R^c, -N(R^a)C(=O)R^g, -N(R^g)C(=O)OR^h, -N(R^a)C(=O)OR^g,
-N(R^g)C(=O)NR^aR^h, -N(R^a)C(=O)NR^aR^g, -N(R^g)C(=NR^a)NR^aR^h,
-N(R^a)C(=NR^a)NR^aR^g, -N(R^g)S(=O)₂R^c, -N(R^a)S(=O)₂R^g, -N(R^g)S(=O)₂NR^aR^h,
-N(R^a)S(=O)₂NR^aR^g, -NR^hC₂₋₆alkylNR^aR^g, -NR^aC₂₋₆alkylNR^aR^g, -NR^gC₂₋₆alkylOR^h
and -NR^aC₂₋₆alkylOR^g.

5. (original) The compound according to Claim 4, wherein R⁵ is R^c.

6. (original) The compound according to Claim 4, wherein R^{5'} is R^c.

7. (original) The compound according to Claim 4, wherein R⁶ is selected from C₁₋₄haloalkyl, halo, cyano, -C(=O)R^b, -C(=O)OR^b, -C(=O)NR^aR^a,
-C(=NR^a)NR^aR^a, -OH, -OC₂₋₆alkyl, -OC(=O)R^b, -OC(=O)NR^aR^a,
-OC(=O)N(R^a)S(=O)₂R^b, -OC₂₋₆alkylNR^aR^a, -OC₂₋₆alkylOR^a, -SR^a, -S(=O)R^b,
-S(=O)₂R^b, -S(=O)₂NR^aR^a, -S(=O)₂N(R^a)C(=O)R^b, -S(=O)₂N(R^a)C(=O)OR^b,
-S(=O)₂N(R^a)C(=O)NR^aR^a, -NR^aR^b, -N(R^a)C(=O)R^b, -N(R^a)C(=O)OR^b,
-N(R^a)C(=O)NR^aR^a, -N(R^a)C(=NR^a)NR^aR^a, -N(R^a)S(=O)₂R^b, -N(R^a)S(=O)₂NR^aR^a,
-NR^aC₂₋₆alkylNR^aR^a, -NR^aC₂₋₆alkylOR^a and R^c.

8. (original) The compound according to Claim 7, wherein R⁶ is selected from C₁₋₄haloalkyl, halo and R^c.

9. (original) The compound according to Claim 7, wherein R⁶ is selected from C₁₋₄haloalkyl and C₂₋₅alkyl.

10. (original) The compound according to Claim 7, wherein R⁶ is selected from trifluoromethyl and tert-butyl.

11. (currently amended) The compound according to Claim 1, wherein the compound is selected from:

7-pyridin-2-yl-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;

7-(1,3-thiazol-2-yl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;

7-pyrazin-2-yl-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;

2-[4-(3,5-dichloropyridin-2-yl)piperazin-1-yl]-7-(3,4-difluorophenyl)-5-(trifluoromethyl)-1H-benzimidazole;

7-bromo-2-[4-(3,5-difluoropyridin-2-yl)piperazin-1-yl]-5-(trifluoromethyl)-1H-benzimidazole;

2-[4-(3,5-dichloropyridin-2-yl)piperazin-1-yl]-5-(trifluoromethyl)-7-[3-(trifluoromethyl)phenyl]-1H-benzimidazole;

2-[4-(3-bromopyridin-2-yl)piperazin-1-yl]-5,7-bis(trifluoromethyl)-1H-benzimidazole;

7-(3,4-difluorobenzyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;

~~2-[(3R)-4-(2-bromophenyl)-3-methylpiperazin-1-yl]-7-chloro-5-(trifluoromethyl)-1H-benzimidazole;~~

2-[(2R)-4-(3-bromopyridin-2-yl)-2-methylpiperazin-1-yl]-7-chloro-5-(trifluoromethyl)-1H-benzimidazole;

2-[(3R)-4-(3-bromopyridin-2-yl)-3-methylpiperazin-1-yl]-5,7-bis(trifluoromethyl)-1H-benzimidazole;

(2-{4-[7-chloro-5-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methanol;

(2-{4-[7-bromo-5-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methanol;

7-chloro-2-{(3R)-3-methyl-4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-5-(trifluoromethyl)-1H-benzimidazole;

7-chloro-2-[(3R)-4-(3-chloropyridin-2-yl)-3-methylpiperazin-1-yl]-5-(trifluoromethyl)-1H-benzimidazole;
7-bromo-2-[(3R)-4-(3-bromopyridin-2-yl)-3-methylpiperazin-1-yl]-5-(trifluoromethyl)-1H-benzimidazole;
2-[(3R)-4-(3-bromopyridin-2-yl)-3-methylpiperazin-1-yl]-5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazole;
2-[4-(3-chloropyridin-2-yl)piperazin-1-yl]-5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazole;
2-[4-(3,5-dichloropyridin-2-yl)piperazin-1-yl]-5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazole;
2-[4-(3-bromopyridin-2-yl)piperazin-1-yl]-5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazole;
N-methyl-2-{4-[5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridine-3-sulfonamide;
7-nitro-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-amine;
N-(3,4,5-trifluorobenzyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-amine;
(5-chloro-6-{4-[5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methanol;
(5-chloro-6-{4-[7-iodo-5-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methanol;
(5-chloro-6-{(3R)-4-[7-iodo-5-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}pyridin-3-yl)methanol;
7-iodo-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
4-[(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)amino]butan-2-ol;
3-hydroxy-2,2-dimethyl-N-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)propanamide;

3-hydroxy-N-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)butanamide;

2-[(2R)-4-(3-bromopyridin-2-yl)-2-methylpiperazin-1-yl]-5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazole;

2-[(2S)-4-(3-bromopyridin-2-yl)-2-methylpiperazin-1-yl]-5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazole;

3,5-difluoro-6-{4-[5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-2-amine;

2,2-dimethyl-N-[3-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)pyridin-2-yl]propanamide;

3-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)pyridin-2-amine;

(5-chloro-6-{4-[7-(3-fluoro-4-methoxyphenyl)-5-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methanol;

2-[(3S)-4-(3-bromopyridin-2-yl)-3-methylpiperazin-1-yl]-5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazole;

2-[(2R)-4-(3-chloropyridin-2-yl)-2-methylpiperazin-1-yl]-5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazole;

4-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)benzylamine;

N-isopropyl-N-[4-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)benzyl]amine;

7-bromo-2-[(2R)-4-(3-chloropyridin-2-yl)-2-methylpiperazin-1-yl]-5-(trifluoromethyl)-1H-benzimidazole;

6-trifluoromethyl-2-[4-(3-trifluoromethyl-pyridin-2-yl)-piperazin-1-yl]-4-(3,4,5-trifluoro-phenyl)-1H-benzimidazole;

6-trifluoromethyl-2-[4-(3-trifluoromethyl-3,4,5,6-tetrahydro-pyridin-2-yl)-piperazin-1-yl]-4-(3,4,5-trifluoro-phenyl)-1H-benzimidazole;

2-[(2R)-4-(3-chloropyridin-2-yl)-2-methylpiperazin-1-yl]-7-(3-fluoro-4-methoxyphenyl)-5-(trifluoromethyl)-1H-benzimidazole;

7-bromo-2-{(2R)-2-methyl-4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-5-(trifluoromethyl)-1H-benzimidazole;

2-{(2R)-2-methyl-4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazole;
N,N-dimethyl-4-[2-{(2R)-2-methyl-4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-5-(trifluoromethyl)-1H-benzimidazol-7-yl]aniline;
1-benzyl-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
1-benzyl-6-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
5-chloro-6-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
5-chloro-2-[4-(3,5-dichloropyridin-2-yl)piperazin-1-yl]-6-(trifluoromethyl)-1H-benzimidazole;
5-chloro-2-[4-(3-chloropyridin-2-yl)piperazin-1-yl]-6-(trifluoromethyl)-1H-benzimidazole;
6-chloro-5-methyl-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
6-(3,4-difluorophenyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
5-bromo-6-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
5-bromo-2-[4-(3-chloropyridin-2-yl)piperazin-1-yl]-6-(trifluoromethyl)-1H-benzimidazole;
5-(3,4-difluorophenyl)-6-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
2-[4-(5-chloropyrimidin-4-yl)piperazin-1-yl]-6-(trifluoromethyl)-1H-benzimidazole;
5-bromo-2-[4-(5-chloropyrimidin-4-yl)piperazin-1-yl]-6-(trifluoromethyl)-1H-benzimidazole;
methyl 5-chloro-6-{4-[6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}nicotinate;
5-chloro-N-methyl-6-{4-[6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}nicotinamide;
5-chloro-6-{4-[6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}nicotinamide;

1-(5-chloro-6-{4-[6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)ethanone;

1-(5-chloro-6-{4-[6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)ethanol;

~~4-(3-chlorophenyl)-1-[6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperidin-4-ol;~~

6-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-3H-imidazo[4,5-b]pyridine;

1-[5-(trifluoromethyl)-1H-benzimidazol-2-yl]-4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-2-one;

2-{2-(methoxymethyl)-4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-5-(trifluoromethyl)-1H-benzimidazole;

1-[3-(trifluoromethyl)pyridin-2-yl]-4-[5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]-1,2,3,4-tetrahydroquinoxaline;

2,2-dimethyl-N-[3-({4-[5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl} carbonyl)pyridin-4-yl]propanamide;

2-[4-(2-piperazin-1-ylpropanoyl)piperazin-1-yl]-6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazole;

~~2-{4-[(1-methylpiperidin-4-yl)carbonyl]piperazin-1-yl}-6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazole;~~

~~2-[4-(piperidin-4-ylcarbonyl)piperazin-1-yl]-6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazole;~~

2-[4-(pyridin-2-ylmethyl)piperazin-1-yl]-5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazole;

3-(trifluoromethyl)-1'-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]-1',2',3',6'-tetrahydro-2,4'-bipyridine;

~~5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperidin-1-yl}-7-(3,4,5-trifluorophenyl)-1H-benzimidazole;~~

2-{(2R)-2-butyl-4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazole;

N~1~,N~1~-dimethyl-N~2~-(5-(trifluoromethyl)-6-{4-[5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)ethane-1,2-diamine;

N-(5-(trifluoromethyl)-6-{4-[5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)acetamide;
5-fluoro-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole-5-carbonitrile;
methyl 2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole-5-carboxylate;
5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-imidazo[4,5-b]pyridine;
5-(trifluoromethyl)-6-[4-(trifluoromethyl)phenyl]-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-6-(3,4,5-trifluorophenyl)-1H-benzimidazole;
(6-{4-[6-bromo-5-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}-5-chloropyridin-3-yl)methanol;
5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole-6-carbonitrile;
tert-butyl 4-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-6-yl)-3,6-dihydropyridine-1(2H)-carboxylate;
5-(trifluoromethyl)-6-[4-(trifluoromethyl)cyclohex-1-en-1-yl]-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
1-{4-[5-(trifluoromethyl)-7-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}isoquinoline;
(6-{(3R)-4-[6-bromo-5-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}-5-chloropyridin-3-yl)methanol;
6-{4-[7-bromo-5-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}quinoline;
~~6-(trifluoromethyl)-N-{2-[3-(trifluoromethyl)phenyl]ethyl}-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-5-amine;~~
6-(trifluoromethyl)-N-[4-(trifluoromethyl)benzyl]-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-5-amine;
4-{4-[7-bromo-5-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}quinoline;
N-(2-piperidin-1-ylethyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-6-amine;

N-(2-morpholin-4-ylethyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-6-amine;
7-{4-[7-bromo-5-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}quinoline;
7-{4-[7-bromo-5-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}isoquinoline;
N-(2-piperazin-1-ylethyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-6-amine;
5-{4-[4-bromo-6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}isoquinoline;
6-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole-4-carbonitrile;
tert-butyl 4-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)-3,6-dihydropyridine-1(2H)-carboxylate;
7-(4-tert-butylcyclohex-1-en-1-yl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
5-(trifluoromethyl)-7-[4-(trifluoromethyl)cyclohex-1-en-1-yl]-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
7-(1,2,3,6-tetrahydropyridin-4-yl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
7-(1-isopropyl-1,2,3,6-tetrahydropyridin-4-yl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
5-(trifluoromethyl)-7-[4-(trifluoromethyl)cyclohexyl]-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
2-{4-[5-bromo-3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-6-(trifluoromethyl)-1H-benzimidazole;
4-bromo-2-{4-[5-bromo-3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-6-(trifluoromethyl)-1H-benzimidazole;
N-[6-{4-[4-bromo-6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}-5-(trifluoromethyl)pyridin-2-yl]acetamide;
7-piperidin-1-yl-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
7-morpholin-4-yl-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;

7-piperazin-1-yl-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
4-bromo-2-[(2R)-4-(3,5-dichloropyridin-2-yl)-2-methylpiperazin-1-yl]-6-(trifluoromethyl)-1H-benzimidazole;
(5-chloro-6-{(3R)-3-methyl-4-[6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methanol;
(6-{(3R)-4-[4-bromo-6-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}-5-chloropyridin-3-yl)methanol;
2-{(2R)-2-methyl-4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-6-(trifluoromethyl)-1H-benzimidazole;
2-{(2R)-4-[3-chloro-5-(methoxymethyl)pyridin-2-yl]-2-methylpiperazin-1-yl}-6-(trifluoromethyl)-1H-benzimidazole;
1-(5-chloro-6-{(3R)-3-methyl-4-[6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)ethanol;
N-[(5-chloro-6-{(3R)-3-methyl-4-[6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methyl]acetamide;
N-[(5-chloro-6-{(3R)-3-methyl-4-[6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methyl]-N-methylacetamide;
2-(5-chloro-6-{(3R)-3-methyl-4-[6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)propan-2-ol;
2-[(2R)-4-(3,5-dichloropyridin-2-yl)-2-methylpiperazin-1-yl]-6-(trifluoromethyl)-4-[4-(trifluoromethyl)phenyl]-1H-benzimidazole;
4-(4-chlorophenyl)-2-[(2R)-4-(3,5-dichloropyridin-2-yl)-2-methylpiperazin-1-yl]-6-(trifluoromethyl)-1H-benzimidazole;
2-[(2R)-4-(3,5-dichloropyridin-2-yl)-2-methylpiperazin-1-yl]-6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazole;
[5-chloro-6-{(3R)-3-methyl-4-[6-(trifluoromethyl)-4-[4-(trifluoromethyl)phenyl]-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methanol;
(5-chloro-6-{(3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methanol;
(5-chloro-6-{(3R)-3-methyl-4-[4-pyridin-3-yl-6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methanol;

(5-chloro-6-((3R)-4-[4-(4-chlorophenyl)-6-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}pyridin-3-yl)methanol;
2-[(2R)-4-(3,5-dichloropyridin-2-yl)-2-methylpiperazin-1-yl]-4-pyridin-3-yl-6-(trifluoromethyl)-1H-benzimidazole;
1-(5-chloro-6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)ethanol;
1-[5-chloro-6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-[4-(trifluoromethyl)phenyl]-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)ethanol;
1-(5-chloro-6-((3R)-4-[4-(4-chlorophenyl)-6-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}pyridin-3-yl)ethanol;
1-(5-chloro-6-((3R)-3-methyl-4-[4-pyridin-3-yl-6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)ethanol;
N-[2-((2R)-4-[3-chloro-5-(hydroxymethyl)pyridin-2-yl]-2-methylpiperazin-1-yl}-5-(trifluoromethyl)-1H-benzimidazol-7-yl]-3,4,5-trifluorobenzamide;
(5-chloro-6-((3R)-3-methyl-4-[4-[(3,4,5-trifluorobenzyl)amino]-6-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methanol;
4-[3-chloro-5-(hydroxymethyl)pyridin-2-yl]-N-methyl-1-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazine-2-carboxamide;
(1S)-1-(5-chloro-6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)ethanol;
(1R)-1-(5-chloro-6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)ethanol;
N-[2-((2R)-4-[3-chloro-5-(hydroxymethyl)pyridin-2-yl]-2-methylpiperazin-1-yl}-6-(trifluoromethyl)-1H-benzimidazol-4-yl]-4-(trifluoromethyl)benzamide;
N-[2-((2R)-4-[3-chloro-5-(hydroxymethyl)pyridin-2-yl]-2-methylpiperazin-1-yl}-6-(trifluoromethyl)-1H-benzimidazol-4-yl]cyclohexanecarboxamide;
4-chloro-N-[2-((2R)-4-[3-chloro-5-(hydroxymethyl)pyridin-2-yl]-2-methylpiperazin-1-yl}-6-(trifluoromethyl)-1H-benzimidazol-4-yl]benzamide;
methyl 5-chloro-6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}nicotinate;
(6-((3R)-4-[7-[bis(cyclohexylmethyl)amino]-5-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}-5-chloropyridin-3-yl)methanol;

(5-chloro-6-((3R)-4-[7-((cyclohexylmethyl)amino)-5-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}pyridin-3-yl)methanol;
1-(5-chloro-6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)propan-1-ol;
tert-butyl 2-((2R)-4-[3-chloro-5-(hydroxymethyl)pyridin-2-yl]-2-methylpiperazin-1-yl)-5-(trifluoromethyl)-1H-benzimidazol-7-ylcarbamate;
[6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl)-5-(trifluoromethyl)pyridin-3-yl]methanol;
1-[6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl)-5-(trifluoromethyl)pyridin-3-yl]propan-1-ol;
1-[6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl)-5-(trifluoromethyl)pyridin-3-yl]prop-2-en-1-ol;
2-methyl-1-[6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl)-5-(trifluoromethyl)pyridin-3-yl]propan-1-ol;
1-[6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl)-5-(trifluoromethyl)pyridin-3-yl]ethanol;
[6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl)-5-(trifluoromethyl)pyridin-3-yl](phenyl)methanol;
[6-((3R)-3-methyl-4-((6-(trifluoromethyl)-4-[4-(trifluoromethyl)phenyl]-1H-benzimidazol-2-yl}piperazin-1-yl)-5-(trifluoromethyl)pyridin-3-yl)methanol;
1-[6-((3R)-3-methyl-4-((6-(trifluoromethyl)-4-[4-(trifluoromethyl)phenyl]-1H-benzimidazol-2-yl}piperazin-1-yl)-5-(trifluoromethyl)pyridin-3-yl]propan-1-ol;
1-[6-((3R)-3-methyl-4-((6-(trifluoromethyl)-4-[4-(trifluoromethyl)phenyl]-1H-benzimidazol-2-yl}piperazin-1-yl)-5-(trifluoromethyl)pyridin-3-yl]prop-2-en-1-ol;
(5-(trifluoromethyl)-6-((4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}pyridin-3-yl)methanol;
[5-(trifluoromethyl)-6-((4-((6-(trifluoromethyl)-4-[4-(trifluoromethyl)phenyl]-1H-benzimidazol-2-yl}piperazin-1-yl)pyridin-3-yl)methanol;
1-[6-((3R)-3-methyl-4-((6-(trifluoromethyl)-4-[4-(trifluoromethyl)phenyl]-1H-benzimidazol-2-yl}piperazin-1-yl)-5-(trifluoromethyl)pyridin-3-yl]ethanol;
5-chloro-6-((3R)-3-methyl-4-[6-(trifluoromethyl)-4-(3,4,5-trifluorophenyl)-1H-benzimidazol-2-yl]piperazin-1-yl}nicotinic acid;

2-[(2R)-4-(3-chloropyridin-2-yl)-2-methylpiperazin-1-yl]-7-(3,5-difluorophenyl)-5-(trifluoromethyl)-1H-benzimidazole;
7-(3,5-difluorophenyl)-2-[(2R)-4-[3-(3,5-difluorophenyl)pyridin-2-yl]-2-methylpiperazin-1-yl]-5-(trifluoromethyl)-1H-benzimidazole;
2-[(2R)-4-(3-chloropyridin-2-yl)-2-methylpiperazin-1-yl]-7-(3-fluorophenyl)-5-(trifluoromethyl)-1H-benzimidazole;
7-(3-fluorophenyl)-2-[(2R)-4-[3-(3-fluorophenyl)pyridin-2-yl]-2-methylpiperazin-1-yl]-5-(trifluoromethyl)-1H-benzimidazole;
4-[2-[(2R)-4-(3-chloropyridin-2-yl)-2-methylpiperazin-1-yl]-5-(trifluoromethyl)-1H-benzimidazol-7-yl]-N,N-dimethylaniline;
2-[(2R)-4-(3-chloropyridin-2-yl)-2-methylpiperazin-1-yl]-5-(trifluoromethyl)-7-[4-(trifluoromethyl)phenyl]-1H-benzimidazole;
2-[(2R)-4-(3-chloropyridin-2-yl)-2-methylpiperazin-1-yl]-7-(4-fluorophenyl)-5-(trifluoromethyl)-1H-benzimidazole;
5-bromo-2-[4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl]-1H-imidazo[4,5-b]pyridine;
2-[4-(4-Chloro-[1,2,5]thiadiazol-3-yl)-piperazin-1-yl]-5-trifluoromethyl-7-(3,4,5-trifluoro-phenyl)-1H-benzimidazole;
6-(trifluoromethyl)-2-[4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl]-1H-benzimidazole;
N-isopropyl-2-[4-[5-(trifluoromethyl)-1H-benzimidazol-2-yl]piperazin-1-yl]pyridin-3-amine;
2-[4-(2,4-difluorophenyl)piperazin-1-yl]-6-(trifluoromethyl)-1H-benzimidazole;
2-[4-(6-chloropyridin-2-yl)piperazin-1-yl]-6-(trifluoromethyl)-1H-benzimidazole;
7-pyridin-4-yl-5-(trifluoromethyl)-2-[4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl]-1H-benzimidazole;
7-(3-fluorophenyl)-5-(trifluoromethyl)-2-[4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl]-1H-benzimidazole;
5-(trifluoromethyl)-7-[2-(trifluoromethyl)phenyl]-2-[4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl]-1H-benzimidazole;
7-(4-fluorophenyl)-5-(trifluoromethyl)-2-[4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl]-1H-benzimidazole;

7-(3-chloro-4-fluorophenyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
7-(2-methoxyphenyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
7-(3,5-difluorophenyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
[3-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)phenyl]methanol;
7-(6-methoxypyridin-3-yl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
8-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)quinoline;
7-(4-tert-butylphenyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
7-(3-chloropyridin-4-yl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
7-[3-(trifluoromethoxy)phenyl]-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
N-[4-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)phenyl]acetamide;
7-(1-benzothien-2-yl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
3-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)aniline;
N,N-dimethyl-4-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)aniline;
7-(3-fluoro-4-methoxyphenyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
7-(2,4-dimethoxypyrimidin-5-yl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
7-(2,5-difluorophenyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;

7-(2,4-difluorophenyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
7-(3-furyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
7-(2,3-difluorophenyl)-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
4-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)aniline;
[4-(5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazol-7-yl)phenyl]methanol;
7-[(E)-2-phenylvinyl]-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
7-cyclohex-1-en-1-yl-5-(trifluoromethyl)-2-{4-[3-(trifluoromethyl)pyridin-2-yl]piperazin-1-yl}-1H-benzimidazole;
{5-chloro-6-[(3R)-3-methyl-4-(6-(trifluoromethyl)-4-{4-(trifluoromethyl)benzyl]amino}-1H-benzimidazol-2-yl)piperazin-1-yl]pyridin-3-yl}methanol;
(6-{(3R)-4-[7-[bis(4-chlorobenzyl)amino]-5-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}-5-chloropyridin-3-yl)methanol;
(5-chloro-6-{(3R)-4-[7-[(4-chlorobenzyl)amino]-5-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}pyridin-3-yl)methanol;
(6-{(3R)-4-[7-[bis(4-tert-butylbenzyl)amino]-5-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}-5-chloropyridin-3-yl)methanol;
(6-{(3R)-4-[7-[(4-tert-butylbenzyl)amino]-5-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}-5-chloropyridin-3-yl)methanol;
(5-chloro-6-{(3R)-4-[7-(dibenzylamino)-5-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}pyridin-3-yl)methanol; and
(6-{(3R)-4-[7-(benzylamino)-5-(trifluoromethyl)-1H-benzimidazol-2-yl]-3-methylpiperazin-1-yl}-5-chloropyridin-3-yl)methanol; or a pharmaceutically-acceptable salt thereof.

12. (canceled)

13. (currently amended) A pharmaceutical composition comprising a compound according to any one of Claims ~~1 through~~ 3, 4 and 11 and a pharmaceutically-acceptable diluent or carrier.

14. (canceled)